The Semantics of Resumption*

Ash Asudeh

University of Oxford & Carleton University ash.asudeh@ling-phil.ox.ac.uk

July 3, 2012

The Hebrew University of Jerusalem

1 Introduction

- The syntax and semantics of unbounded dependencies has been of central interest in theoretical linguistics since the inception of modern generative approaches (Chomsky 1957).
- A significant focus of research turned to the nature of the base of unbounded dependencies, with proposals ranging fairly widely in the interim, but broadly classifiable in three varieties:
 - 1. Special elements
 - t ('trace'), as in the Principles and Parameters Theory of Chomsky (1981) and Chomsky (1982), among many others, and the version of Head-Driven Phrase Structure Grammar of Pollard and Sag (1994)
 - e ('empty category'), as in some versions of Lexical-Functional Grammar subject to Economy of Expression (Bresnan 1995, 2001)
 - *gap-synsem*, as in the version of Head-Driven Phrase Structure Grammar of Bouma et al. (2001)
 - 2. Type-identical to top of unbounded dependency
 - Copies, as in the Chomsky (1995) version of the Minimalist Program, among many others
 - 3. Token-identical to top of unbounded dependency
 - Functional equality, as in the version of Lexical-Functional Category in Kaplan and Zaenen (1989)
 - Multidominance, as in various versions of the Minimalist Program (Nunes 2001, Citko 2005, among others) and in antecedent work in other traditions (Blevins 1990, among others).

^{*}This talk expands on some ideas initially presented in Asudeh (2011). A fuller treatment of many of the main ideas can be found in Asudeh (2012). This work is supported by an Early Researcher Award from the Ministry of Research and Innovation (Ontario) and NSERC Discovery Grant #371969.

- Despite these different approaches, the shared implicit assumption is that in the 'normal' design of grammar, the base of an unbounded dependency is what we can pretheoretically call a 'gap', a kind of phonological absence of an otherwise necessary argument. This is exemplified by the following Irish example and its English translation:
 - (1) an scríbhneoir a mholann na mic léinn __ the writer aL praise the students __ 'the writer whom the students praise' (McCloskey 1979: 6, (6))
 - (2) the writer whom the students praise __
- Nevertheless, in many languages the base of an unbounded dependency can be realized as a pronoun, commonly called a 'resumptive pronoun', or 'resumptive' for short. This is exemplified by the following variant of the Irish example above:
 - (3) an scríbhneoir a molann na mic léinn $\underline{\epsilon}$ the writer aN praise the students him 'the writer whom the students praise (him)' (McCloskey 1979: 6, (5))
- Resumptive pronouns are curious things. They seem to be more typologically 'marked' than gaps as realizations of the bases of unbounded dependencies. There are languages, like standard varieties of English, that do not have grammatically licensed resumptive pronouns, but do have gaps. I am not aware of any language that has resumptive pronouns but no gaps.
- The focus of today's talk is a different troublesome aspect of resumptives. Pronouns are normally capable of saturating argument positions, as in (4). But if a resumptive pronoun saturates its argument position, then it blocks proper semantic composition of the top of the unbounded dependency with its scope, as in the ungrammatical English example in (5).
 - (4) Alfred said Thora ate it.
 - (5) *What did Alfred say Thora ate <u>it</u>?
- There are two approaches to compositionality and the syntax–semantics interface:
 - 1. **Parallel composition theories**: Syntax and semantics are built up in parallel.

Other common terms for this family of theories are *rule-by-rule theories* and *categorial theories*.

2. **Interpretive composition theories**: Semantics interprets the output of syntax.

The most common exemplar of this kind of theory is Logical Form semantics.

- Modern theoretical semantics has grown out of the strongly model-theoretic tradition of Montague. Perhaps as a consequence, most semanticists view these two approaches as equivalent, except perhaps with respect to certain fine points of theory (e.g., Jacobson 1999, Barker and Jacobson 2007).
- In this talk I will present a theory of resumption that takes the problem of semantic composition to be the central problem of resumption, as anticipated in many ways by McCloskey (1979) and Doron (1982).
- I will show that not only do we get an interesting theory of resumption from this, but that we also shed new light on 1) semantic composition and 2) grammatical architecture.

2 Main Claims

- Semantic composition is resource-sensitive (RSH).
- Resumptive pronouns are ordinary pronouns (McCloskey's generalization).
- Resumption can profitably be analyzed as a case of resource surplus in resource-sensitive semantic composition (RMTR).
- The licensing mechanism for resumption is lexically contributed and deals with the resource surplus problem.
- This viewpoint provides a point of unification of otherwise puzzlingly different kinds of grammatically licensed resumptives.
- Resumption has implications for the design of grammar with respect to:
 - 1. The nature of the relationship between the top and base of an unbounded dependency
 - 2. Morpholexical contribution of syntactic information
 - 3. The syntax–semantics interface
- Evidence from a class of grammatically licensed resumptive pronouns, which I call 'syntactically inactive resumptives', favours parallel composition theories over interpretive composition theories.
- Resumptive pronouns can thus provide an empirical basis for choosing between theories of composition.

3 Overview

- 1. Introduction
- 2. Main Claims
- 3. Overview
- 4. Background
- 5. Resource Sensitivity and its Consequences
- 6. The Resource Management Theory of Resumption
- 7. Data
- 8. Emergent Generalizations
- 9. Informal Analysis
- 10. Examples of the Formal Analysis
- 11. Theoretical Consequences
- 12. Conclusion
- A. Formal Analysis (Appendix)

4 Relating Back to Edit Doron's Paper

- Much of what I have to say here was anticipated by Edit Doron's seminal paper, 'On the Syntax and Semantics of Resumptive Pronouns'.
- In particular, she notes that, "resumptive pronouns are syntactically and semantically pronouns and they differ in both these respects from gaps."
- She also notes that, "One very simple piece of evidence in favor of [her] approach is that languages that make use of resumptive pronouns use the same inventory available to them for other pronouns." This is an important observation that I enshrine below as 'McCloskey's Generalization'. It is important because, if we take this morphosyntactic generalization seriously, it renders implausible certain otherwise tempting analyses of resumptive pronouns as 'spelled out gaps' (or whatever way you prefer of picking out this sort of analysis).
- Two important semantic differences that Doron identifies between gaps and resumptive pronouns have to do with 1) specificity and 2) weak crossover. With respect to the first of these, she notes that the non-specific or *de dicto* reading is available for a gap, but not for a resumptive, as shown by the following two examples in Hebrew.
 - (6) a. dani yimca et ha-iša še hu mexapes Dani will-find ACC the-woman that he seeks
 - b. dani yimca et ha-iša še hu mexapes ota Dani will-find ACC the-woman that he seeks her

With respect to weak crossover, she notes that the potential interpretations for gaps and resumptives pronouns differ in the following pair, where the relevant interpretations are informally indicated by coindexation under the normal sort of understanding of what this represents.

- (7) a. ha-i \S_1 \S_2 im-o $\S_{1/2}$ ohevet \S_1 . the-man that mother-his loves
 - b. ha-i \S_1 \S_2 im-o_{1/2} ohevet oto₁. the-man that mother-his loves him
- Differences between this approach and Doron's:
 - Resumption is here licensed strictly lexically.
 - Resumptive pronouns are not interpreted in a way that is contextually sensitive to the presence of gaps. (Contrast: "This is accounted for by treating resumptive pronouns as pronouns, and interpreting them as resumptive only in clauses which do not contain gaps.")
 - There is no special mechanism (e.g., a special store) for encoding resumptive pronouns.
 Rather, resumption involves an anaphoric dependency that interacts with the usual grammar of unbounded dependencies in predictable ways.
 - Resumptive pronouns are not treated as cross-linguistically identical. Rather, two sorts of
 resumptive pronouns are identified, where one is more 'gap-like' than the other. Crucially,
 this similarity in the syntax does not lead to correspondingly equivalent interpretations.
- In sum, this work draws many lessons from Doron's, but the most important one is that there are interpretational distinctions between gaps and resumptives.

¹So why not 'Doron's Generalization'? The same observation was made by Jim McCloskey in work of about the same period and he has discussed it somewhat more explicitly subsequently. However, I'm no historian, so I apologize if I should have attributed the generalization differently.

5 Background

5.1 Two Kinds of Grammatically Licensed Resumption

1. Syntactically active resumptives (SARs)

Do not display gap-like properties

Sample languages: Irish, Hebrew, varieties of Arabic, ...

(8) an ghirseach a-r ghoid na síogaí <u>í</u> (Irish; McCloskey 2002: 189) the girl COMP-PAST stole the fairies her 'the girl that the fairies stole away'

2. Syntactically inactive resumptives (SIRs)

Do display gap-like properties. Sample languages: Vata, Swedish

(9) àlá à lē saká la who he eat rice wh 'Who is eating rice?'

(Vata; Koopman 1982: 128)

	Syntactically Active RPs	Syntactically Inactive RPs
Grammatically Licensed	Yes	Yes
Island-Sensitive	No	Yes
Weak Crossover Violation	No	Yes
Reconstruction Licensed	No	Yes
ATB Extraction Licensed	No	Yes
Parasitic Gap Licensed	No	Yes
Non-Specific/De Dicto Interpretation	No	No
Pair-List Answers	No	No


Table 1: Some properties of SARs and SIRs

• Syntactic representation of SARs and SIRs (English used purely for exposition)

Target: [Who did Jane see him?]

RP is syntactically active

RP is syntactically inactive



5.2 McCloskey's Generalization

• McCloskey (2006: 97):

A fundamental question, which has not often been explicitly addressed, but which lies behind much of the discussion is why resumptive elements have the form that they do. That is, resumptive pronouns simply *are* (formally) pronouns. I know of no report of a language that uses a morphologically or lexically distinct series of pronouns in the resumptive function. If we take this observation to be revealing, there can be no syntactic feature which distinguishes resumptive pronouns from ordinary pronouns, and any appeal to such a feature must be construed as, at best, an indication of the limits of understanding. (emphasis in original)

- Two direct consequences of McCloskey's generalization are the following:
 - 1. There can be no underlying lexical/morphological/featural distinction specific to only resumptive pronouns in a language *L*. Any pronoun of *L* that occurs resumptively must also occur in other environments.
 - 2. There can be no process of syntactic insertion or semantic composition that is specific to only resumptive pronouns in a language *L*. Resumptives of *L* are inserted and composed just as non-resumptive pronouns of *L* are.
- This points to a division of theories of resumption into two kinds:
 - (10) **Ordinary Pronoun Theory (of Resumption)**:

No lexical/morphological/featural/syntactic difference between resumptive pronouns and referential or bound pronouns

(11) **Special Pronoun Theory (of Resumption)**:

Some lexical/morphological/featural/syntactic difference between resumptive pronouns and referential or bound pronouns




Figure 1: The Correspondence Architecture, pipeline version (Asudeh 2012)

5.3 Lexical-Functional Grammar

- LFG is a declarative, constraint-based linguistic theory (Kaplan and Bresnan 1982).
- The motivation behind LFG is to have a theory that contributes in three ways to our understanding of language:
 - 1. Theory, including language universals and typology
 - 2. Psycholinguistics, including language acquisition
 - 3. Computational linguistics, including automatic parsing and generation, machine translation, and language modelling

5.3.1 The Correspondence Architecture

- The grammatical architecture of LFG posits that different kinds of linguistic information are modelled by distinct data structures, all of which are present simultaneously.
- Structures are related by functions, called correspondence or projection functions., which map elements of one structure to elements of another.
- This architecture is a generalization of the architecture of Kaplan and Bresnan (1982) and is called the *Parallel Projection Architecture* or *Correspondence Architecture* (Kaplan 1987, 1989, Halvorsen and Kaplan 1988, Asudeh 2006, 2012, Asudeh and Toivonen 2009).
- Syntax: constituent structure (c-structure) and functional structure (f-structure).
- C-structure is represented by phrase structure trees:
 - 1. Word order
 - 2. Dominance
 - 3. Constituency
 - 4. Syntactic categories
- F-structure is represented by feature structures (also known as attribute value matrices):
 - 1. Grammatical functions, such as SUBJECT and OBJECT
 - 2. Case
 - 3. Agreement
 - 4. Tense and aspect
 - 5. Local dependencies (e.g., control and raising)
 - 6. Unbounded dependencies (e.g., question formation, relative clause formation)

- There are two principal methods for capturing the relations between structures:
 - 1. Description by analysis
 - 2. Codescription
- Description by analysis: one structure is analyzed to yield another structure (Halvorsen 1983)
- Codescription: a single description simultaneously describes various structures (Fenstad et al. 1987, Halvorsen and Kaplan 1988)


5.3.2 Unbounded Dependencies


- There are versions of LFG that postulate traces/empty categories at the base of (at least some) unbounded dependencies (Bresnan 1995, 2001) and versions which eliminate traces entirely (Kaplan and Zaenen 1989, Dalrymple 2001).
- All else being equal, elimination of traces is more parsimonious: I assume the traceless variant.
- An unbounded dependency involves equations of one of the following two general forms:

```
(12) (\uparrow \textbf{Top}) = (\uparrow \textbf{Body Base})
(13) (\uparrow \textbf{Top})_{\sigma} = ((\uparrow \textbf{Base})_{\sigma} \text{ ANTECEDENT})
```

- The top of the unbounded dependency is an unbounded dependency function, traditionally TOPIC or FOCUS (King 1995).
- I will instead assume a single function, UDF (UNBOUNDED DEPENDENCY FUNCTION).
- A UDF function must be properly integrated into the f-structure, in accordance with the Extended Coherence Condition (Zaenen 1980, Bresnan and Mchombo 1987, Asudeh and Toivonen 2009), which states that a UDF must either a) be functionally equal to or b) anaphorically bind another grammatical function.
- Functional equality involves equations of the form (12). Anaphoric binding involves equations of the form (13). The type of equation in (13) involves the σ projection to sem(antic)-structure, since it is assumed that the ANTECEDENT feature for anaphoric binding is represented at semstructure (Dalrymple 1993).
- The crucial difference between syntactically active resumptives and syntactically inactive resumptives is whether the relation between the binder and the resumptive is anaphoric binding
 — appropriate for SARS or functional equality appropriate for SIRS. I thus follow McCloskey's general suggestion that the two different kinds of grammatically licensed resumptives form different sorts of relations with their binders, but recast it in LFG-theoretic terms.
- This will allow the crux of the two kinds of resumption to be uniform and will allow Mc-Closkey's generalization to be upheld.

5.3.3 Examples





5.4 Glue Semantics

- Glue Semantics (Dalrymple 1999, 2001, Asudeh 2004, 2005, 2012, Lev 2007, Kokkonidis 2008) is a theory of semantic composition and the syntax–semantics interface.
- Glue *meaning constructors* are obtained from lexical items instantiated in particular syntactic structures.

(16)
$$M: G$$

 \mathcal{M} is a term from some representation of meaning, a *meaning language*, and G is a term of the Glue logic that sticks meanings together, i.e. performs composition. The colon is an uninterpreted pairing symbol.

- Linear logic (Girard 1987) serves as the Glue logic (Dalrymple et al. 1993, 1999a,b).
- The meaning constructors are used as premises in a (linear logic) proof that consumes the lexical premises to produce a sentential meaning.
- A successful Glue proof for a sentence terminates in a meaning constructor of type t:

(17)
$$\Gamma \vdash \mathcal{M} : G_t$$

- Alternative derivations from the same set of premises \rightarrow semantic ambiguity (e.g., scope)
- Linear logic is a *resource logic*: each premise in valid linear logic proof must be used exactly once.
- As discussed in detail by Dalrymple et al. (1999a), Glue Semantics is essentially a type-logical theory and is thus related to type-logical approaches to Categorial Grammar (Morrill 1994, Moortgat 1997, Carpenter 1997, Jäger 2005).
- The key difference between Glue and Categorial Grammar concerns grammatical architecture, particularly the conception of the syntax–semantics interface (Asudeh 2004, 2005, 2006). Glue Semantics posits a strict separation between syntax and semantics, such that there is a syntax that is separate from the syntax of semantic composition. Categorial Grammar rejects the separation of syntax from semantic composition.
- I assume a small, rather weak fragment of linear logic, multiplicative intuitionistic linear logic (MILL; Asudeh 2004, 2005).
- Three proof rules of this fragment are of particular interest here: elimination for \otimes (multiplicative conjunction) and introduction and elimination for linear implication \multimap .

Figure 2: Linear logic proof rules with Curry-Howard correspondence

(18) Bo chortled.

(19)
$$\frac{bo: b \quad chortle: b \multimap c}{chortle(bo): c} \multimap_{\mathcal{E}}$$

• Anaphora in Glue Semantics are typically treated as functions on their antecedents (Dalrymple et al. 1999c, Dalrymple 2001). This is a kind of a variable-free treatment of anaphora, which has also been adopted in certain Categorial Grammar analyses (Jacobson 1999, Jäger 2005, among others), although the two variable-free traditions developed separately.

- A variable-free treatment of anaphora is quite natural in Glue, because the commutative linear logic allows anaphora to combine directly with their antecedents, in opposition to the kind of intervening operations that are necessary for variable-free anaphoric resolution in non-commutative Categorial Grammar.
- The meaning constructor for a pronominal has the following general form, where \uparrow is the f-structure of the pronoun and \uparrow_{σ} is its σ -projection in sem-structure:

(20)
$$\lambda z.z \times z: (\uparrow_{\sigma} \text{ANTECEDENT}) \longrightarrow [(\uparrow_{\sigma} \text{ANTECEDENT}) \otimes \uparrow_{\sigma}]$$

- The pronoun's type is therefore $\langle \sigma, \langle \sigma, \tau \rangle \rangle$, where σ is the type of the antecedent and τ is the type of the pronoun. I here assume that both σ and τ are type e (individuals).
- (21) Bo fooled himself.

(22)
$$\frac{\mathbf{Bo} \quad \mathbf{himself}}{bo: b \quad \lambda z. z \times z: b \multimap (b \otimes p)} \underbrace{-\circ \varepsilon} \quad \frac{\underbrace{[x:b]^1 \quad \lambda u \lambda v. fool(u,v): b \multimap p \multimap f}_{\lambda v. fool(x,v): p \multimap f} -\circ \varepsilon}_{\underbrace{fool(x,y): f}_{\delta v. fool(x,y): f} \otimes \varepsilon, 1, 2}_{\underbrace{fool(bo,bo): f}} \rightarrow_{\beta}$$

Notes on proof conventions:

- Linear logic terms are based on mappings from functional structure (syntax) to semantic structure (semantics). For example, $(\uparrow SUBJ)_{\sigma}$ is the semantic structure correspondent of the subject (SUBJ) of some predicate, where the predicate is designated by \uparrow .
- Semantic structures may also contain features. For example, the ANTECEDENT feature seen above is in the semantic structure of \uparrow , since it occurs after \uparrow_{σ} . The features VAR(IABLE) and RESTR(ICTION), which are used to specify the meanings of common nouns as type $\langle e, t \rangle$ predicates, are also s-structure features.
- In proofs, these linear logic terms are abbreviated mnemonically. This is generally obvious, with the following exceptions: p abbreviates the σ -projection of a pronoun, v abbreviates VAR, and r abbreviates RESTR. Numerical modifiers may be used where necessary, e.g. p1, v1, etc.
- Reductions in proofs are generally left implicit. The let term constructor may be somewhat less familiar, but its semantics is pairwise substitution, meaning it is just a more structured form of familiar functional application, which is clear from its β -reduction:

(23) let
$$a \times b$$
 be $x \times y$ in $f \Rightarrow_{\beta} f[a/x, b/y]$

• Scope points for quantifiers are represented as dependencies on universally quantified secondorder variables of type t in the linear logic. For example, the term $\forall X.(a \multimap X) \multimap X$ states that any dependency on resource a that results in a type t resource can be discharged to yield just the type t resource. The natural deduction proof rule for \forall -elimination in linear logic is shown in Figure 3.

$$\frac{t : \forall x.A}{t : A[c/x]} \forall_{\mathcal{E}} \ (c \text{ a constant, } x \text{ a variable})$$

Figure 3: Linear logic: universal elimination

6 The Resource Sensitivity Hypothesis and its Consequences

- RSH stems from the resource-logical perspective on semantic composition in Glue Semantics (Dalrymple 1999, 2001), which uses the resource logic *linear logic* (Girard 1987) to assemble meanings.
- RSH is equivalent to the claim of Linguistic Resource Sensitivity, which is in turn derived from Logical Resource Sensitivity:
 - (24) **Logical Resource Sensitivity**: In a resource logic, premises in proofs cannot be freely *reused* or *discarded*.
 - (25) Linguistic Resource Sensitivity:
 Natural language is resource-sensitive: elements of combination in grammars cannot be freely *reused* or *discarded*.
- The upshot of RSH is that compositional semantics is constrained by resource accounting, such that component meanings cannot go unused or be reused.
- For example, in the following sentence, the adverb *slowly* contributes a single lexical meaning resource which cannot be used twice to derive the unavailable meaning that the plummeting was also slow.
 - (26) John rolled over the edge slowly and plummeted to the ground.
- The Resource Sensitivity Hypothesis paves the way to substantial simplification, since the following independent principles can be reduced to resource sensitivity (Asudeh 2012: 110–123):
 - 1. Bounded Closure
 - 2. Completeness and Coherence
 - 3. The Theta Criterion
 - 4. The Projection Principle
 - 5. No Vacuous Quantification
 - 6. The Inclusiveness Condition
 - 7. Full Interpretation
- Not only does RSH set the ground for eliminating these principles from our theories, it also
 gives us a deeper understanding of the principles, since they are reduced to the basic combinatoric logic of language.

7 The Resource Management Theory of Resumption

• The Resource Management Theory of Resumption (RMTR) is based on the following two claims, one of which we have already discussed.

1. The Resource Sensitivity Hypothesis (RSH):

Natural language is resource-sensitive.

2. McCloskey's Generalization:

Resumptive pronouns are ordinary pronouns.

- The logic behind the theory is as follows. If a resumptive pronoun is an ordinary pronoun, then it constitutes a surplus resource. If Resource Sensitivity is to be maintained, then there must be an additional consumer of the pronominal resource present.
- The resource surplus constituted by a resumptive pronoun can be demonstrated by an example from English, which does not have grammatically licensed resumptives in majority dialects (Chao and Sells 1983, Sells 1984):
 - (27) *Every clown who Mary tickled <u>him</u> laughed.




Figure 4: Proof failure due to a surplus resumptive pronoun resource

- What about resumptives in languages in which RPs are properly grammatically licensed?
 - If a resumptive pronoun is surplus to the basic compositional requirements of its sentence, but the sentence is nonetheless grammatical, then RSH entails that there must be a consumer of the resumptive pronoun's resource.
 - The resumptive consumer is a further resource that consumes a pronominal resource.
 These resources are called *manager resources*, because they manage an otherwise unconsumable pronominal resource.
 - A resumptive pronoun language has such manager resources in the portion of its lexical inventory or grammar that concerns unbounded dependencies.
 - A language which does not license resumptive pronouns in unbounded dependencies lacks manager resources in its grammar.
- Manager resources have the following general compositional schema, where P is some pronoun that the lexical contributor of the manager resource can access and A is the antecedent or binder of P:

$$(28) \qquad (A \multimap A \otimes P) \multimap (A \multimap A)$$




Figure 5: A manager resource in action (binder of lower type)




Figure 6: A manager resource in action (quantificational binder)




Figure 7: Proof for expository resumptive example Every clown who_{pro} Mary tickled him laughed.

8 Data

8.1 Irish

• The simplest generalization about resumptive pronouns in Irish is that they occur in any syntactic position in any unbounded dependency, except where blocked by independent constraints.

• The key independent constraint is the Highest Subject Restriction

(29) **Highest Subject Restriction**

- a. * an fear a raibh <u>sé</u> breoite (McCloskey 1990: 210, (29a)) the man COMP be.PAST he ill 'the man that (he) was ill'
- b. * na daoine a <u>rabhadar</u> breoite (McCloskey 1990: 210, (29b)) the people COMP be.PAST.3PL ill 'the people that (they) were ill'
- c. cúpla muirear a bhféadfaí a rá go <u>rabhadar</u> bocht a.few families COMP one.could say.INF COMP be.PAST.3PL poor 'a few families that one could say (they) were poor' (McCloskey 1990: 210, (30b))
- Other than this restriction, Irish resumptives occur in a wide variety of unbounded dependency constructions:

(30) Restrictive relative clauses

- a. an ghirseach a-r ghoid na síogaí <u>í</u> the girl COMP-PAST stole the fairies her 'the girl that the fairies stole away' (McCloskey 2002: 189, (9b))
- b. an fear a dtabharann tú an tairgead <u>dó</u> the man COMP give you the money to.him 'the man to whom you give the money' (McCloskey 1979: 6, (3))

(31) Nonrestrictive relative clauses

Tháinig an saighdiúir eile, nach bhfaca mé roimhe <u>é</u>, aníos chugainn. came the soldier other NEG.COMP saw I before him, up to.us 'The other soldier, whom I hadn't seen before, came up to us.' (McCloskey 1990: 238, (97a))

(32) **Questions**

- a. Céacu ceann a bhfuil dúil agat <u>ann?</u> which one COMP is liking at.you in.it 'Which one do you like?' (McCloskey 2002: 189, (10b))
- b. d'inis siad cén turas a raibh siad <u>air</u> told they what journey COMP be.PAST they on.3SG.MASC 'they told what journey they were on (it)' (McCloskey 1990: 238, (98a))

(33) Clefts

Is tú a bhfuil an deallramh maith <u>ort</u>.

COP.PRES you COMP is the appearance good on.2SG

'It is you that looks well.'

(McCloskey 1990: 239, (99a))

(34) **Reduced Clefts**

Teach beag seascair a-r mhair muid <u>ann.</u> house little snug COMP-PAST lived we in.it 'It was a snug little house that we lived in.' (McCloskey 2002: 189, (11b))

(35) Comparatives

Do fuair sé leaba chó math agus a-r lui sé riamh <u>uirthi</u>. get PAST he bed as good as COMP lie.PAST he ever on.3SG.FEM 'He got a bed as good as he ever lay on (it).' (McCloskey 1990: 239, (100b))

• Gaps in Irish are island-sensitive.

(36) **Complex NP Islands**

- a. * an fear aL phóg mé an bhean aL phós the man COMP kissed I the woman COMP married 'the man who I kissed the woman who married' (McCloskey 1979: 30, (78))
- b. * Cén fear aL phóg tú an bhean aL phós? which man COMP kissed you the woman COMP married 'Which man did you kiss the woman who married?' (McCloskey 1979: 30, (80))

(37) Wh-Islands

- a. * fear nachN bhfuil fhios agam cén cineál mná aL phósfadh a man COMP.NEG I know what sort of a woman COMP would marry 'a man who I don't know what woman would marry' (McCloskey 1979: 32, (87))
- b. * Cén sagart nachN bhfuil fhios agat caidé aL dúirt? which priest COMP.NEG you know what COMP said 'Which priest don't you know what said?' (McCloskey 1979: 32, (88))
- c. * Cén sagart aL d'fhiafraigh Seán diot arL bhuail tú?
 which priest COMP asked John of you QUEST
 'Which priest did John ask you if you hit?'
 (McCloskey 1979: 32, (89))
- Irish resumptives are not island-sensitive.

(38) **Complex NP Island**

Sin teanga aN mbeadh meas agam ar duine ar bith aL tá ábalta \underline{i} a labhairt that a.language COMP would be respect at me on person any COMP is able it to speak 'That's a language that I would respect anyone who could speak it.' (McCloskey 1979: 34, (95))

(39) *Wh*-Island

Sin fear nachN bhfuil fhios agam cén cineál mná aL phósfadh <u>é</u> that a man COMP.NEG I know what sort of a woman COMP would marry him 'That's a man who I don't know what kind of woman would marry him.' (McCloskey 1979: 33, (91))

- Gaps in Irish are subject to weak crossover effects:
- (40) a. * fear a d'fhág a bhean __ (McCloskey 1990: 237, (95a-b))
 man COMP left his wife
 'a man that his wife left'
 - b. * an fear so a mhairbh a bhean féin __ this man COMP killed his own wife 'this man that his own wife killed'
 - Resumptive pronouns in Irish are not subject to weak crossover effects:
- (41) a. fear ar fhág a bhean \underline{e} (McCloskey 1990: 236–7, (94a–b)) man COMP left his wife him 'a man that his wife left'
 - b. an fear so ar mhairbh a bhean féin <u>é</u> this man COMP killed his own wife him 'this man that his own wife killed'

8.2 Swedish

8.2.1 Syntax

• In *Rikssvenska* — the Swedish spoken in Sweden as opposed to on mainland Finland or the Åland Islands — resumptive pronouns are obligatory following overt material in the left periphery of CP (Engdahl 1982).

(42) Left-peripheral wh-phrase

[Vilket ord]_i visste ingen [$_{CP}$ [hur många M]_j [$_{C'}$ $\underline{\det}_i$ stavas med $\underline{}_j$]]? which word knew nobody how many Ms it is.spelled with $\underline{}$ 'Which word did nobody know how many Ms (it) is spelled with?' (Engdahl 1985: 8, \sim (11))

(43) **Complementizer**

- a. [Vilket ord]_i visste ingen [$_{CP}$ [$_{C'}$ om $\underline{\det}_i$ stavas med ett M]]? which word knew nobody if it is.spelled with an M 'Which word did nobody know if (it) is spelled with an M?' (Engdahl 1985: 8, \sim (11))
- b. [Vilken elev]_i trodde ingen att $\underline{\text{han}}_{i}$ skulle fuska? which student thought no one that he would cheat 'Which student did no one think that (he) would cheat?' (Engdahl 1982: 166, \sim (65c))

Grammatically Licensed	Yes
Island-Sensitive	Yes?
Weak Crossover Violation	%
Licenses Reconstruction	No
Licenses ATB Extraction	Yes
Licenses Parasitic Gaps	Yes

Table 2: Some properties of Swedish resumptives

- Swedish resumptive pronouns allow Across the Board Extraction.
- Där borta går en man som jag ofta träffar _ men inte minns vad han heter.

 There goes a man that I often meet _ but not remember what he is called 'There goes a man that I often meet but don't remember what he is called.'

 (Zaenen et al. 1981: 681, (9))
 - Swedish resumptive pronouns license parasitic gaps.
- (45) Det var den fången_i som läkarna inte kunde avgöra om <u>han</u>i verkligen var sjuk utan it was that prisoner that the doctors not could decide if he really was ill without att tala med <u>p</u>_i personligen. to talk with <u>in person</u>

 '(This is the prisoner that the doctors couldn't determine if he really was ill without talking

'(This is the prisoner that the doctors couldn't detemine if he really was ill without talking to in person.)'

(Engdahl 1985: 7, (8))

• Weak crossover judgements are subtle, as usual, but some speakers allow weak crossover with resumptives while others do not:

- (46) % Vilken elev_i undrar hans_i lärare om <u>han</u>_i fuskar? which student wonders his teacher if he cheats 'Which student does his teacher wonder if (he) cheats?'
- (47) % Vilken elev_i undrar hans_i lärare varför <u>han</u>_i fuskar? which student wonders his teacher why he cheats 'Which student does his teacher wonder why (he) cheats?'
- (48) % Jag känner en elev som hennes lärare undrar om <u>hon</u> fuskar.

 I know a student that her teacher wonders if she cheats 'I know a student who her teacher wonders if (she) cheats.'
- Swedish is generally quite permissive about extraction from islands, except for left-branch islands and subject islands (Engdahl 1982, 1997).
- Engdahl (1985: 10) notes that island violations that are judged to be ungrammatical are not improved by resumptives. In fact, Engdahl (1985) mentions that the example is judged as worse with a resumptive than with a gap.
 - (49) ?* Vilken bil_j åt du lunch med [$_{NP}$ någon_i [$_{S'}$ som t_i körde t_j /* den? which car ate you lunch with someone that drove __/* it 'Which car did you have lunch with someone who drove it?' (Engdahl 1985: 10, (16))
- However, this resumptive is not a true grammatically licensed resumptive, since it is not a subject that occurs after left-peripheral material in CP.

8.2.2 Semantics

- Swedish resumptive pronouns do not support non-specific/de dicto readings (Doron 1982).
- (50) Kalle letar efter en bok som han inte vet hur <u>den</u> slutar. Kalle looks for a book that he not knows how it ends 'Kalle is looking for a book that he does not know how (it) ends.'
 - In contrast, a gap does support a non-specific reading.
- Kalle kommer att hitta boken som han letar efter __. Kalle comes to find book.DEF that he looks for __ 'Kalle will find the book that he is looking for.'
 - *Ålandssvenska* (the dialect of Swedish spoken on the Åland Islands, Finland): allows gaps in post-*wh*-phrase subject positions and the minimal pair to (50) with a gap allows both non-specific and specific readings.
- Kalle letar efter en bok som han inte vet hur _ slutar.

 Kalle looks for a book that he not knows how _ ends

 '(Kalle is looking for a book that he does not know how ends.)'

- Swedish resumptive pronouns do not support pair-list answers to functional questions.
- (53) Vilken elev undrar varje lärare om <u>han</u> fuskar? Which student wonders every teacher if he cheats 'Which student does every teacher wonder if (he) cheats?'
 - a. Pelle
 - b. Hans mest begåvada elev His most gifted student
 - c. *Andersson, Alfons; Boberg, Benny; Cornelius, Conny
 - In contrast, a gap does support a pair-list answer.
- Vilken elev tror varje lärare __fuskar?
 Which student tror every teacher __cheats
 'Which student does every teacher think cheats?'
 - a. Pelle
 - b. Hans mest begåvade elev His most gifted student
 - c. Andersson, Alfons; Boberg, Benny; Cornelius, Conny
 - A post-complementizer gap in *Ålandsvenska* allows all three answers:
- Vilken elev undrar varje lärare om __fuskar?
 Which student wonders every teacher if __cheats
 'Which student does every teacher wonder if (he) cheats?'
 - a. Pelle
 - b. Hans mest begåvade elev His most gifted student
 - c. Andersson, Alfons; Boberg, Benny; Cornelius, Conny

9 Emergent Generalizations

- There are languages in which resumptive pronouns do not pattern like gaps; e.g., Irish.
 - Syntactically Active Resumptive Pronouns
- There are languages in which resumptive pronouns do pattern like gaps; e.g., Swedish, Vata.
 - Syntactically Inactive Resumptive Pronouns
- Even when RPs pattern syntactically like gaps, they are not interpreted semantically purely equivalently to gaps.

10 Informal Analysis

- Grammatically licensed resumptive pronouns of *both kinds* (SARs and SIRs) are licensed by lexically contributed manager resources.
- The resumptive contributes an ordinary pronominal meaning, which the manager resource consumes, thus removing the problem of saturation which the pronoun would otherwise cause.
- Syntactically inactive resumptive pronouns require an additional, *syntactic* mechanism to remove the pronoun from syntax.
- In LFG-theoretic terms, this mechanism is *restriction* (Kaplan and Wedekind 1993), which allows removal of specified features from f-structures.


(56)
$$(\uparrow UDF) \backslash PRED = (\uparrow GF^* SUBJ) \backslash PRED$$

• Irish and Swedish² equally have manager resources in their lexicons, which allows them to deal with the problem of semantic composition constituted by resumptive pronouns, but Swedish and other languages with syntactically inactive resumptives have an additional mechanism that inactivates the pronoun in the syntax.

Target: [Who did Jane see him?]

Syntax RP is syntactically active

RP is syntactically inactive



Semantics Resumptive licensed by MR

Resumptive licensed by MR

Table 3: Syntax and semantics of SARs and SIRs


²And all other languages with grammatically licensed resumptive pronouns ...

11 Examples of the Formal Analysis


11.1 Irish

(57) fir ar shíl Aturnae an Stáit go rabh <u>siad</u> díleas do'n Rí men *aN* thought Attorney the State *go* were they loyal to-the King 'men that the Attorney General thought were loyal to the King' (McCloskey 2002: 190, (16))

(58) C-structure



(59) F-structure and (partial) s-structure



(60) Lexical contributor of manager resource³

aN, C ...
$$\% Bound = (\uparrow GF^* \{ UDF \mid [GF - UDF] \})$$

$$@MR(\rightarrow)$$

$$(\uparrow UDF)_{\sigma} = (\% Bound_{\sigma} ANTECEDENT)$$

(61) Manager resource template

$$\mathsf{MR}(f) = \lambda P \lambda y.y : [(\uparrow \mathsf{UDF})_\sigma \multimap ((\uparrow \mathsf{UDF})_\sigma \otimes f_\sigma)] \multimap ((\uparrow \mathsf{UDF})_\sigma \multimap (\uparrow \mathsf{UDF})_\sigma)$$

(62) **Meaning constructors**

1. $man^* : v \multimap r$ Lex. fir ('men') 2. $\lambda P \lambda Q \lambda z . Q(z) \wedge P(z)$: REL_{σ} $(a \multimap t) \multimap [(v \multimap r) \multimap (v \multimap r)]$ 3. $\lambda P \lambda x.x$: Lex. ar (aN, MR) $[a \multimap (a \otimes p)] \multimap (a \multimap a)]$ 4. $\lambda P.P: (p \multimap t) \multimap (a \multimap t)$ Lex. ar (aN, RELABEL) 5. $think: g \multimap l \multimap t$ Lex. shil ('thought') 6. a - q : qLex. Aturnae an Stáit ('Attorney General') 7. $\lambda z.z \times z: a \multimap (a \multimap p)$ Lex. siad ('they') 8. loyal- $to: k \longrightarrow p \longrightarrow l$ Lex. díleas ('loyal') 9. $\iota x.[kinq(x)]: k$ Lex. do'n Rí ('to-the King')

- An expression introduced by % denotes a 'local name'. Local names, once instantiated, always refer to the same element, within the scope of a lexical entry. They are thus local variables. For example, both occurrences of %Bound are instantiated to the same valuation, where the valuation is specified by the equality in the line with the first occurrence of %Bound. Otherwise, since the expression to the right of the equal sign on the first line is non-deterministic, we would be in danger of not referring to the same f-structure in the two instances.
- The metavariable → picks out the f-structure that is the value of the attribute that it adorns on each instantiation.
 In this case, the expression states that the argument to @MR is the f-structure that is the value of the terminating grammatical function, as picked out by [GF-UDF].
- The @ sign indicates invocation of a template, which may have arguments or not. In this case, the MR (for 'manager resource') template is invoked by the resumptive-licensing complementizer.

³Some notes on notation (see Dalrymple 2001 for the first two and Dalrymple et al. 2004 for the second; they are all also presented in Asudeh 2012):

Figure 8: Proof for example (57).

11.2 Swedish

(63) [Vilken elev]_i trodde Maria att <u>han</u>_i skulle fuska? which student thought Maria that he would cheat 'Which student did Maria think that (he) would cheat?'


(64) Lexical contributor of manager resource

+COMP:
$$C^0$$
 $\begin{pmatrix} %RP = (\uparrow SUBJ) \\ (\uparrow UDF)_{\sigma} = (\%RP_{\sigma} ANTECEDENT) \\ @MR(\%RP) \end{pmatrix}$


(65) Manager resource template

$$\mathsf{MR}(f) = \ \lambda P \lambda y.y : [(\uparrow \mathsf{UDF})_\sigma \ \multimap \ ((\uparrow \mathsf{UDF})_\sigma \ \otimes \ f_\sigma)] \ \multimap \ ((\uparrow \mathsf{UDF})_\sigma \ \multimap \ (\uparrow \mathsf{UDF})_\sigma)$$

(66) **C-structure**



(67) F-structure and (partial) s-structure



Lex. +COMP(MR)

(68)**Meaning constructors**

1. $\lambda S.Q(student, S)$: Lex. vilken elev ('which student')

 $\forall X.[(s \multimap X) \multimap X]$

2. $\lambda P \lambda y.y : [s \multimap (s \otimes p)] \multimap (s \multimap s)$

3. $\lambda P.P: (p \multimap t) \multimap (s \multimap t)$ Lex. +COMP (RELABEL

4. $think : m \multimap c \multimap t$ Lex. trodde ('thought')

5. maria: m

Lex. Maria 6. $\lambda z.z \times z: s \multimap (s \otimes p)$ Lex. han ('he')

7. $cheat: p \multimap c$ Lex. fuska ('cheat')

$$\frac{\lambda P \lambda y.y :}{[s \multimap (s \otimes p)] \multimap (s \multimap s)} = \frac{\lambda z.z \times z :}{s \multimap (s \otimes p)} = \frac{\frac{(beat : maria : think : m \multimap c \multimap t)}{(beat(y) : c)}}{[x : s]^1} = \frac{\frac{(beat (y) : c)}{(beat(y) : c)} = \frac{(beat (y) : c)}{(beat(y) : c)}}{\frac{(beat (y) : c)}{(beat (y) : c)}} = \frac{\lambda P.P :}{(p \multimap t) \multimap (s \multimap t)}}{\frac{\lambda y.think(maria, cheat(y)) : b}{(p \multimap t) \multimap (s \multimap t)}} = \frac{\lambda S.Q(student, S) :}{\lambda x.think(maria, cheat(x)) : s \multimap t}}{\frac{\lambda x.think(maria, cheat(x)) : s \multimap t}{(p \multimap t) \multimap (s \multimap t)}}{\frac{\lambda x.think(maria, cheat(x)) : s \multimap t}{(p \multimap t) \multimap (s \multimap t)}}} = \frac{(beat (y) : b)}{(p \multimap t) \multimap (s \multimap t)}}{\frac{\lambda x.think(maria, cheat(x)) : s \multimap t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : s \multimap t}{(p \multimap t) \multimap (s \multimap t)}}} = \frac{(beat (y) : b)}{(p \multimap t) \multimap (s \multimap t)}}{\frac{\lambda x.think(maria, cheat(x)) : s \multimap t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}}{\frac{\lambda x.think(maria, cheat(x)) : t}{(p \multimap t) \multimap (s \multimap t)}}$$

Figure 9: Proof for example (63).

12 Theoretical Consequences

General Hypothesis about Natural Language Combinatorics

- 1. The Resource Management Theory of Resumption is derived from the Resource Sensitivity Hypothesis.
- 2. RSH is captured formally by using the resource logic *linear logic* for semantic composition, as in Glue Semantics.
- 3. The Logical Resource Sensitivity of linear logic together with proof conditions motivated by linguistic theory yield Linguistic Resource Sensitivity, which forms the basis for RSH.
- 4. Through the lens of RSH, resumption is seen irreducibly as a problem of semantic composition: a resumptive pronoun constitutes a surplus resource for composition.

Unified Theory of Resumption

- The Resource Management Theory of Resumption unifies two seemingly disparate classes of resumptive pronouns — syntactically active resumptives and syntactically inactive resumptives — without treating the latter class as special pronouns.
- The point of unification is the licensing mechanism of *manager resources*, which deal with the resource surplus of the resumptive pronoun.
- This same licensing mechanism further unifies the explanation of resumptive pronouns in unbounded dependencies with that of copy pronouns in copy raising, as in the following English examples:
 - (69) Alfred seems like he enjoys movies.
 - (70) *Alfred seems like Harry enjoys movies.
- The single point of parametrization between resumptives in unbounded dependencies and copy pronouns concerns the grammatical function that is targeted by the manager resource (Asudeh 2012: 336–338).⁴

The Design of Grammar

- The grammar of resumption points to a grammatical design in which facts of surface exponence, abstract grammatical features, and semantic combinatorics are separable, but lexically controlled. This allows resumptive pronouns to be treated as ordinary pronouns while capturing both the similarities and differences between SARs and SIRs.
- One such grammatical architecture is the Correspondence Architecture of Lexical-Functional Grammar.

⁴The syntax and semantics of copy raising is also interesting in its own right for its connection to the grammar of perception, as explored in detail in Asudeh and Toivonen (2012).

Semantic Composition

 Resumption also has important consequences for our understanding of the syntax–semantics interface.

- There are two main approaches to compositionality and the syntax–semantics interface:
 - 1. **Parallel composition theories**: Syntax and semantics are built up in parallel.
 - 2. **Interpretive composition theories**: Semantics interprets the output of syntax.
- The unification of resumption achieved by RMTR depends on the parallel composition view. On the alternative view, in the case of syntactically inactive resumptives, there is no real pronoun in the part of syntax that feeds meaning (f-structure) and there is therefore no pronominal resource for a manager resource to consume.
 - RMTR gives theoretical support for the parallel composition view, because that view supports a unification of otherwise heterogeneous resumptive phenomena.
- Perhaps even more interestingly, the empirical evidence that resumptives are not interpreted like gaps points in the same direction, as originally discussed by Edit Doron (Doron 1982).
 - The syntax of syntactically inactive resumptives is explained if they are treated as absent from the part of syntax that models unbounded dependencies (f-structure).
 - If SIRs are syntactically like gaps and composition is interpretive, then resumptives should be interpreted like gaps, contrary to fact.
 - If composition is parallel to syntactic construction, then a resumptive pronoun contributes syntactic and semantic information simultaneously. Operations on the syntax do not necessarily affect operations on the semantics, so the pronoun can have the syntax of a gap, yet retain pronominal interpretation.

13 Conclusion

- A unified theory of resumption (RMTR) is possible based on a general hypothesis about semantic composition, and linguistic combinatorics more broadly (RSH).
- Resumptive pronouns are ordinary pronouns in RMTR (McCloskey's generalization).
- Resumptives that behave syntactically like gaps nevertheless do not behave semantically like gaps.
- Resumption has deep consequences for the design of grammar, once morpholexical and semantic facts about resumption are highlighted, and for theories of semantic composition.

			Syntax		Semantics	
		Morpholexical	C-structure	F-structure	Interface/Composition	Type
SAI	CADG	Ordinary	Present	Present	Removed	Ordinary
	SAKS	Pronoun		(Active)	Compositionally	Pronoun
;	SIRS Ordinary Pronoun	Duagant	Absent	Removed	Ordinary	
		Pronoun	Present	(Inactive)	Compositionally	Pronoun

Table 4: Summary: properties of grammatically licensed resumptive pronouns

References

- Asudeh, Ash. 2004. Resumption as Resource Management. Ph.D. thesis, Stanford University.
- —. 2005. Relational Nouns, Pronouns, and Resumption. *Linguistics and Philosophy* 28(4): 375–446.
- —. 2006. Direct Compositionality and the Architecture of LFG. In Miriam Butt, Mary Dalrymple, and Tracy Holloway King, eds., *Intelligent Linguistic Architectures: Variations on Themes by Ronald M. Kaplan*, 363–387. Stanford, CA: CSLI Publications.
- —. 2011. Towards a Unified Theory of Resumption. In Rouveret 2011, 121–187.
- —. 2012. The Logic of Pronominal Resumption.Oxford: Oxford University Press.
- Asudeh, Ash, and Ida Toivonen. 2009. Lexical-Functional Grammar. In Bernd Heine and Heiko Narrog, eds., *The Oxford Handbook of Linguistic Analysis*, 425–458. Oxford: Oxford University Press.
- 2012. Copy Raising and Perception. *Natural Language and Linguistic Theory*. 30(2): 321–380.
- Barker, Chris, and Pauline Jacobson, eds. 2007. *Direct Compositionality*. Oxford: Oxford University Press.
- Blevins, James P. 1990. Syntactic Complexity: Evidence for Discontinuity and Multidomination. Ph.D. thesis, University of Massachusetts, Amherst.
- Bouma, Gosse, Robert Malouf, and Ivan A. Sag. 2001. Satisfying Constraints on Extraction and Adjunction. *Natural Language and Linguistic Theory* 19: 1–65.
- Bresnan, Joan. 1995. Linear Order, Syntactic Rank, and Empty Categories: On Weak Crossover. In Dalrymple et al. 1995, 241–274.
- —. 2001. *Lexical-Functional Syntax*. Oxford: Blackwell.

- Bresnan, Joan, and Sam A. Mchombo. 1987. Topic, Pronoun, and Agreement in Chicheŵa. *Language* 63(4): 741–782.
- Carpenter, Bob. 1997. *Type-Logical Semantics*. Cambridge, MA: MIT Press.
- Chao, Wynn, and Peter Sells. 1983. On the Interpretation of Resumptive Pronouns. In Peter Sells and Charles Jones, eds., *The Proceedings of NELS 13*, 47–61. Amherst, MA: GLSA.
- Chomsky, Noam. 1957. *Syntactic Structures*. The Hague: Mouton.
- —. 1981. *Lectures on Government and Binding*. Dordrecht: Foris.
- —. 1982. Some Concepts and Consequences of the Theory of Government and Binding. Cambridge, MA: MIT Press.
- —. 1995. *The Minimalist Program*. Cambridge, MA: MIT Press.
- Citko, Barbara. 2005. On the Nature of Merge: External Merge, Internal Merge, and Parallel Merge. *Linguistic Inquiry* 36: 475–497.
- Dalrymple, Mary. 1993. *The Syntax of Anaphoric Binding*. Stanford, CA: CSLI Publications.
- Dalrymple, Mary, ed. 1999. Semantics and Syntax in Lexical Functional Grammar: The Resource Logic Approach. Cambridge, MA: MIT Press.
- Dalrymple, Mary. 2001. Lexical Functional Grammar. San Diego, CA: Academic Press.
- Dalrymple, Mary, Vaneet Gupta, John Lamping, and Vijay Saraswat. 1999a. Relating Resource-Based Semantics to Categorial Semantics. In Dalrymple 1999, 261–280.
- Dalrymple, Mary, Ronald M. Kaplan, and Tracy Holloway King. 2004. Linguistic Generalizations over Descriptions. In Miriam Butt and Tracy Holloway King, eds., *Proceedings of the LFG04 Conference*, 199–208. Stanford, CA: CSLI Publications.
- Dalrymple, Mary, Ronald M. Kaplan, John T. Maxwell III, and Annie Zaenen, eds. 1995. *Formal Issues in Lexical-Functional Grammar*. Stanford, CA: CSLI Publications.

Dalrymple, Mary, John Lamping, Fernando Pereira, and Vijay Saraswat. 1999b. Overview and Introduction. In Dalrymple 1999, 1–38.

- —. 1999c. Quantification, Anaphora, and Intensionality. In Dalrymple 1999, 39–89.
- Dalrymple, Mary, John Lamping, and Vijay Saraswat. 1993. LFG Semantics via Constraints. In *Proceedings of the Sixth Meeting of the European ACL*, 97–105. European Chapter of the Association for Computational Linguistics, University of Utrecht.
- Doron, Edit. 1982. On the Syntax and Semantics of Resumptive Pronouns. In *Texas Linguistic Forum 19*, 1–48. Austin, TX. Reprinted in Rouveret (2011: 289–317).
- Engdahl, Elisabet. 1982. Restriction on Unbounded Dependencies in Swedish. In Elisabet Engdahl and Eva Ejerhed, eds., *Readings on Unbounded Dependencies in Scandinavian Languages*, 151–174. Stockholm: Almquist and Wiksell International.
- —. 1985. Parasitic Gaps, Resumptive Pronouns, and Subject Extractions. *Linguistics* 23(1): 3– 44.
- —. 1997. Relative Clause Extractions in Context. Working Papers in Scandinavian Syntax 60: 51–79.
- Fenstad, Jens Erik, Per-Kristian Halvorsen, Tore Langhold, and Johan van Benthem. 1987. *Situations, Language and Logic*. Dordrecht: D. Reidel.
- Girard, Jean-Yves. 1987. Linear Logic. *Theoretical Computer Science* 50(1): 1–102.
- Halvorsen, Per-Kristian. 1983. Semantics for Lexical-Functional Grammar. *Linguistic Inquiry* 14(4): 567–615.
- Halvorsen, Per-Kristian, and Ronald M. Kaplan. 1988. Projections and Semantic Description in Lexical-Functional Grammar. In *Proceed*ings of the International Conference on Fifth Generation Computer Systems, 1116–1122. Institute for New Generation Systems, Tokyo. Reprinted in Dalrymple et al. (1995: 279–292).

Jacobson, Pauline. 1999. Towards a Variable-Free Semantics. *Linguistics and Philosophy* 22(2): 117–184.

- Jäger, Gerhard. 2005. *Anaphora and Type Logical Grammar*. Dordrecht: Springer.
- Kaplan, Ronald M. 1987. Three Seductions of Computational Psycholinguistics. In Peter Whitelock, Mary McGee Wood, Harold L. Somers, Rod Johnson, and Paul Bennett, eds., *Linguistic Theory and Computer Applications*, 149–181. London: Academic Press. Reprinted in Dalrymple et al. (1995: 339–367).
- —. 1989. The Formal Architecture of Lexical-Functional Grammar. In Chu-Ren Huang and Keh-Jiann Chen, eds., *Proceedings of RO-CLING II*, 3–18. Reprinted in Dalrymple et al. (1995: 7–27).
- Kaplan, Ronald M., and Joan Bresnan. 1982. Lexical-Functional Grammar: A Formal System for Grammatical Representation. In Joan Bresnan, ed., *The Mental Representation of Grammatical Relations*, 173–281. Cambridge, MA: MIT Press. Reprinted in Dalrymple et al. (1995: 29–135).
- Kaplan, Ronald M., and Jürgen Wedekind. 1993. Restriction and Correspondence-Based Translation. In *Proceedings of the 6th Meeting of the EACL*. European Chapter of the Association of Computational Linguistics, University of Utrecht.
- Kaplan, Ronald M., and Annie Zaenen. 1989. Long-Distance Dependencies, Constituent Structure, and Functional Uncertainty. In Mark Baltin and Anthony Kroch, eds., *Alternative Conceptions of Phrase Structure*, 17–42. Chicago, IL: University of Chicago Press. Reprinted in Dalrymple et al. (1995: 137–165).
- King, Tracy Holloway. 1995. *Configuring Topic and Focus in Russian*. Stanford, CA: CSLI Publications.
- Kokkonidis, Miltiadis. 2008. First-Order Glue. *Journal of Logic, Language and Information* 17(1): 43–68.
- Koopman, Hilda. 1982. Control from COMP and Comparative Syntax. *Linguistic Review* 2(4):

- 150).
- —. 2000. The Syntax of Specifiers and Heads. London: Routledge.
- Lev, Iddo. 2007. Packed Computation of Exact Meaning Representations. Ph.D. thesis, Stanford University.
- McCloskey, James. 1979. Transformational Syntax and Model Theoretic Semantics: A Case-Study in Modern Irish. Dordrecht: Reidel.
- —. 1990. Resumptive Pronouns, \overline{A} -Binding and Levels of Representation in Irish. In Randall Hendrick, ed., Syntax of the Modern Celtic languages, vol. 23 of Syntax and Semantics, 199-248. San Diego, CA: Academic Press. Reprinted in Rouveret (2011: 65–119).
- —. 2002. Resumption, Successive Cyclicity, and the Locality of Operations. In Samuel David Epstein and T. Daniel Seeley, eds., Derivation and Explanation in the Minimalist Program, 184-226. Oxford: Blackwell.
- 2006. Resumption. In Martin Everaert and Henk van Riemsdijk, eds., The Blackwell Companion to Syntax, 94–117. Oxford: Blackwell.
- Montague, Richard. 1970. English as a Formal Language. In Bruno Visentini et al., eds., Linguaggi nella Societá e nella Tecnica, 189–224. Milan: Edizioni di Communità. Reprinted in Montague (1974: 188-221).
- —. 1973. The Proper Treatment of Quantification in Ordinary English. In Jaakko Hintikka, Julian Moravcsik, and Patrick Suppes, eds., Approaches to Language, 221–242. Dordrecht: Reidel. Reprinted in Montague (1974: 247-270).

- 365–391. Reprinted in Koopman (2000: 126– —. 1974. Formal Philosophy: Selected Papers of Richard Montague. New Haven, CT: Yale University Press. Edited and with an introduction by Richmond H. Thomason.
 - Moortgat, Michael. 1997. Categorial Type Log-In Johan van Benthem and Alice ter Meulen, eds., Handbook of Logic and Language, 93-177. Cambridge, MA: MIT Press. Co-published with Elsevier Science B.V., Amsterdam.
 - Morrill, Glyn V. 1994. Type Logical Grammar. Dordrecht: Kluwer.
 - Nunes, Jairo. 2001. Sideward Movement. Linguistic Inquiry 32(2): 303-344.
 - Pollard, Carl, and Ivan A. Sag. 1994. Headdriven Phrase Structure Grammar. Chicago, IL and Stanford, CA: The University of Chicago Press and CSLI Publications.
 - Rouveret, Alain, ed. 2011. Resumptive Pronouns Amsterdam: John Benat the Interfaces. jamins.
 - Sells, Peter. 1984. Syntax and Semantics of Resumptive Pronouns. Ph.D. thesis, University of Massachusetts, Amherst.
 - Zaenen, Annie. 1980. Extraction Rules in Ice-Ph.D. thesis, Harvard University. Reprinted as Zaenen (1985).
 - —. 1985. Extraction Rules in Icelandic. New York: Garland.
 - Zaenen, Annie, Elisabet Engdahl, and Joan Maling. 1981. Resumptive Pronouns can be Syntactically Bound. Linguistic Inquiry 12(4): 679-682.

A Formal Analysis

A.1 Irish

(71) an ghirseach a-r ghoid na síogaí <u>í</u> (McCloskey 2002: 189, (9b)) the girl COMP-PAST stole the fairies her 'the girl that the fairies stole away'

(72)
$$i$$
, D (\uparrow PERSON) = 3
(\uparrow NUMBER) = SG
(\uparrow GENDER) = FEM
@PRONOUN

- (74) an fear a dtabharann tú an tairgead <u>dó</u> (McCloskey 1979: 6, (3)) the man COMP give you the money to.him 'the man to whom you give the money'
- (75) $d\acute{o}$, P $(\uparrow PRED) = 'to\langle OBJ\rangle'$ $(\uparrow OBJ PRED) = 'pro'$ $(\uparrow OBJ PERSON) = 3$ $(\uparrow OBJ NUMBER) = SG$ $(\uparrow OBJ GENDER) = MASC$
- (76) $[_{\text{CP}} aL \dots [_{\text{CP}} aL \dots [_{\text{CP}} aL \dots]]]$
 - a. an t-ainm a hinnseadh dúinn a bhi $_$ ar an áit (McCloskey 2002: 190, (13a)) the name aL was-told to-us aL was $_$ on the place 'the name that we were told was on the place'
- (77) $[_{CP} aN \dots [_{CP} go \dots [_{CP} go \dots Rpro \dots]]]$
 - a. fir ar shíl Aturnae an Stáit go rabh <u>siad</u> díleas do'n Rí men *aN* thought Attorney the State *go* were they loyal to-the King 'men that the Attorney General thought were loyal to the King' (McCloskey 2002: 190, (16))

[78]
$$[_{\text{CP}} aN \dots [_{\text{NP}} N [_{\text{CP}} aL \dots \underline{\hspace{1cm}} \dots]]]$$

a. rud a raibh coinne agam a choimhlíonfadh _ an aimsir thing *aN* was expectation at-me *aL* fulfill.COND _ the time 'something that I expected time would confirm' (McCloskey 2002: 196, ~(28))

$$[C_{\mathbf{P}} \ aL \dots [C_{\mathbf{P}} \ aN \dots Rpro \dots]]$$

Pattern 2

a. Cé is dóigh leat a bhfuil an t-airgead <u>aige</u>? who *aL*.COP.PRES likely with-you *aN* is the money at-him 'Who do you think has the money?'
(McCloskey 2002: 198, (35))

$$[CP \ aN \dots [CP \ aN \dots Rpro \dots]]$$

Pattern 3

a. na cuasáin thiorma ar shíl sé a mbeadh contúirt ar bith uirthi tuitim the holes dry *aN* thought he *aN* would-be danger any on-her fall.[-FIN] síos <u>ionnta</u> down into-them

'the dry holes that he thought there might be any danger of her falling down into them' (McCloskey 2002: 199, (44))

	Role Relativ	e to Position		
	Not bottom	Bottom	Method	Cyclic?
aL	Passing	Grounding	Functional equality	Yes
aN	Passing	Grounding	Anaphoric binding	No

Table 5: The role of the Irish complementizers aL and aN in unbounded dependencies

(81) a.
$$\begin{bmatrix} CP & aL & \dots & \begin{bmatrix} CP & aL & \dots & D \end{bmatrix} \end{bmatrix}$$
 Core aL multi-clause pattern

b.
$$\begin{bmatrix} CP & aN & \dots & \begin{bmatrix} CP & aL & \dots & - & \dots \end{bmatrix} \end{bmatrix}$$
 Pattern 1

c.
$$[_{\text{CP}} aL \dots [_{\text{CP-aN} \longrightarrow \text{ground}} Rpro \dots]]]$$
 Pattern 2

d.
$$[_{CP} aN \dots [_{CP-aN} aN \dots Rpro \dots]]]$$
 Pattern 3

(82)
$$aL, C$$
 ... $(\uparrow UDF) = (\uparrow CF^* GF)$ $(\rightarrow UDF) = (\uparrow UDF)$

(83)
$$aN$$
, C ... $%Bound = (\uparrow GF^* \{ UDF \mid [GF - UDF] \})$ $@MR(\rightarrow)$ $(\uparrow UDF)_{\sigma} = (%Bound_{\sigma} ANTECEDENT)$

(84)
$$@MR(f) = \lambda P \lambda y.y : [(\uparrow UDF)_{\sigma} \multimap ((\uparrow UDF)_{\sigma} \otimes f_{\sigma})] \multimap ((\uparrow UDF)_{\sigma} \multimap (\uparrow UDF)_{\sigma})$$

(85)
$$go, C \dots \neg (\uparrow UDF)$$

A.2 Swedish

(86)
$$+ \text{COMP:} \quad C^0 \quad \begin{pmatrix} \text{%RP} = (\uparrow \text{SUBJ}) \\ (\uparrow \text{UDF})_{\sigma} = (\text{%RP}_{\sigma} \text{ANTECEDENT}) \\ \text{@MR}(\text{%RP}) \end{pmatrix}$$

(87) $@MR(f) = \lambda P \lambda y.y : [(\uparrow UDF)_{\sigma} \multimap ((\uparrow UDF)_{\sigma} \otimes f_{\sigma})] \multimap ((\uparrow UDF)_{\sigma} \multimap (\uparrow UDF)_{\sigma})$

(92)

- (88) \emptyset +COMP: \mathbf{C}^0 (\uparrow UDF) $_{\sigma} =_c ((\uparrow \text{SUBJ})_{\sigma} \text{ANTECEDENT})$
- (89) $(\uparrow \text{UDF})\backslash PRED =$ $(\uparrow \text{GF}^* \qquad \text{GF} \qquad)\backslash PRED$ $((\rightarrow PRED) = (\uparrow \text{UDF PRED}))$
- (90) han: D^0 (\uparrow PRED) = 'pro' (\uparrow PERSON) = 3 (\uparrow NUMBER) = SG (\uparrow GENDER) = MASC (\uparrow CASE) = NOM (\uparrow_{σ} ANTECEDENT) \multimap ((\uparrow_{σ} ANTECEDENT) $\otimes \uparrow_{\sigma}$)
- (91) a. Vem_i trodde Maria _{—i} skulle who thought Maria would fuska? cheat 'Who did Maria think would cheat?'
 - PRED 'think' b. PRED 'pro' 3 **PERS** UDF NUM SGWH"Maria" **SUBJ PRED** 'cheat' COMP **SUBJ**
- a. Vem_i trodde Maria att <u>han</u>i who thought Maria that he skulle fuska? would cheat 'Who did Maria think that (he) would cheat?'
- b. PRED 'think' 'pro' **PRED** 3 PERS NUM SGUDF **GEND** MASC CASE NOM WH "Maria" **SUBJ PRED** 'cheat' **COMP SUBJ**

A.3 Restriction

- F-structures are sets of attribute-value pairs (attribute-value matrices).
- The restriction of some f-structure f by an attribute a, designated $f \setminus a$, is the f-structure that results from deleting the attribute a and its value v from f-structure f (Kaplan and Wedekind 1993: 198): the pair $\langle a, v \rangle$ is removed from the set of pairs that constitutes the f-structure in question.
 - (93) **Restriction** (Kaplan and Wedekind 1993: 198) If f is an f-structure and a is an attribute: $f \setminus a = f|_{\textbf{Dom}(f)-\{a\}} = \{ \langle s, v \rangle \in f \mid s \neq a \}$
- The restriction of an f-structure is itself an f-structure, so the operation can be iterated, but the outcome is not order-sensitive; restriction is associative and commutative in its attribute argument: $[f \setminus a] \setminus b = [f \setminus b] \setminus a = f \setminus \{a, b\}$ (Kaplan and Wedekind 1993: 198).
- Restriction is defined in terms of set complementation: restriction of an f-structure by an attribute that the f-structure does not contain vacuously succeeds.

(94) a.
$$f = \begin{bmatrix} PRED & 'pro' \\ CASE & NOM \end{bmatrix}$$

b. $f \setminus PRED = \begin{bmatrix} CASE & NOM \end{bmatrix}$

- $f \setminus a$ subsumes $f(f \setminus a \sqsubseteq f)$
- As an operation on f-structures, restriction can be combined with usual function-application as follows (Kaplan and Wedekind 1993: 198):
 - (95) If f and g are f-structures, then $f \setminus a = g \setminus a$ is true if and only if f and g have all attributes and values in common other than a; they may or may not have values for a and those values may or may not be identical.